

道路用材




大和コンクリート工業株式会社

大和コンクリート


検索

●FX可変側溝・フラット(縦断タイプ・横断タイプ)



— 本体 —




呼び名	a	b	c	k	d	参考重量(kg)			
300 × 300	300	430	300	435	65	334			
300 × 400			400	535		395			
300 × 500			500	635		457			
300 × 600			600	735		518			
300 × 700			700	835		579			
300 × 800			800	935		640			
300 × 900			900	1035	75	784			
300 × 1000			1000	1135		845			
300 × 1100			1100	1235		906			
300 × 1200			1200	1335		967			
400 × 400			400	540		400	550	70	458
400 × 500						500	650		524
400 × 600	600	750			590				
400 × 700	700	850			655				
400 × 800	800	950			721				
400 × 900	900	1050			787				



— 蓋 —



呼び名	b	t1	L	参考重量(kg)
300 × 500	322	84	500	33
400 × 500	432	99	500	52

●FX可変側溝・勾配



— 本体 —

呼び名	a	b	c	k1	k2	d	参考重量(kg)
300×300	300	430	348	434	460	65	347
300×400			448	534	560		408
300×500			548	634	660		469
300×600			648	734	760		530
300×700			748	834	860		591
300×800			848	934	960		652
400×400	400	540	448	547	579	70	478
400×500			548	647	679		544
400×600			648	747	779		610
400×700			748	847	879		675
400×800			848	947	979		741
400×900			948	1047	1079		807



— 蓋 —

呼び名	b	t1	t2	L	参考重量(kg)
300×500	322	103	84	500	40
400×500	432	125	99	500	66